Beehive Program Treatment Forms

- Beehive Program Authorization to Exchange Health Information
- Beehive Program Consent to Treatment With Buprenorphine
- Beehive Program Take-Home Dose Agreement
- Beehive Program Documentation of Clinical Eligibility
- Beehive Program Worksheet for DSM-IV Criteria for Diagnosis of Opioid Dependence
- Prescribers' Direct Dispensing Log Information

BEEHIVE PROGRAM TREATMENT FORMS Beehive Program Authorization to Exchange Health Information

SAN FRANCISCO DEPARTMENT OF PUBLIC HEALTH

BEEHIVE PROGRAM

NAME*
DOB*
MRN
SS#
PCP

A	AUTHORIZATION TO EXCHANGE HEALTH INFORMATION	PCP
		Patient ID / Label
		ire and/or use of individually identifiable health information, as set w concerning the privacy of such information.
I*,		(AKA)
	d consent to the exchange of oral, wr se, mental health, and social condition	itten, and computer-based information relating to my medical, n among my:
Med	ical Provider:	
Drug	g Treatment Provider:	
Drug	Treatment Counselor:	
Pha	rmacist:	
that my med	ical team can have all pertinent infor	nent information may be included in my current medical record so mation for my care. y authorize the exchange of protected classes of information, if
INITIAL belo	ow for <u>protected classes</u> of inform	ation:
Mei	ntal Health Treatment Sub	stance Abuse Treatment HIV/AIDS Treatment
Se.	xually Transmitted Disease (City Clin	Developmental Disabilities
access to thi	is information will be limited to the pe	graph among the personnel mentioned above. I understand that rsonnel of the above-referenced agencies and that exchange of the mental health, and substance use care that I receive.
sign this aution my behal be effective upon this au treatment, pa	horization. I may revoke this authoriz f by someone with the legal authority upon receipt, but will not be effective thorization prior to revocation. I hav ayment, enrollment in a health plan,	disclosure of this health information is voluntary. I may refuse to exation at any time. Revocation must be in writing, signed by me or to do so and delivered to the Beehive program. My revocation will to the extent that the Beehive program may have acted in reliance e a right to obtain a copy of this authorization. I may not be denied or eligibility for benefits if I refuse to sign. I recognize that if I refuse live program but that other substance abuse services are available
	N: Unless otherwise revoked, this au o longer providing me with services.	thorization will expire in one year or at any time that the Beehive
*	*	
(DATE)	(Signature of Patient/Clien	t/Parent/Guardian/Conservator) (Relationship to Patient/Client)
WITNESS (F	REQUIRED IF PATIENT/CLIENT UNABLE TO	SIGN) Interpreter used



BEEHIVE PROGRAM CONSENT TO TREATMENT WITH BUPRENORPHINE

NAME OF PATIENT	DATE
NAME OF PRACTITIONER EXPLAINING PROCEDU	RES
NAME OF BEEHIVE PHYSICIAN	
I hereby authorize and give consent to the above appropriately authorized assistants he/she may buprenorphine (Suboxone or Subutex) as an electron or other narcotic drugs.	select, to administer or prescribe
The procedures to treat my condition have been involve my taking the prescribed buprenorphine physician or his/her designee. This will help condrugs.	on the schedule determined by the Beehive
It has been explained to me that buprenorphine may not be as strong an opiate as heroin or mor physical dependence. Buprenorphine withdrawa or methadone. If buprenorphine is suddenly disc symptoms; others have symptoms such as musc several days. To minimize the possibility of opiat discontinued gradually, usually over several week.	phine. Buprenorphine treatment can result in all is generally less intense than that with hero continued, some patients have no withdrawalle aches, stomach cramps, or diarrhea lasting te withdrawal, buprenorphine should be
For my first dose, I should be in withdrawal as m withdrawal, buprenorphine can bring on severe few days I will be asked to remain at the clinic or dose. After that, I will receive a prescription and pick up the medication. I will comply with the coholding it under the tongue until it dissolves conbuprenorphine will lessen its effectiveness.	opiate withdrawal. For that reason, for the fir pharmacy for a period of time after I take a dreturn to the designated Beehive pharmacy prect dosing method for buprenorphine
I understand that it may take several days to get been using to buprenorphine. I understand that complicate the process of stabilization on bupre will have less effect once I become stabilized on override the effect of buprenorphine can result that intravenous use of buprenorphine can prod withdrawal, overdose, and even death.	using any other opiates (like heroin) will norphine. I also understand that other opiate buprenorphine. Taking more opiates to try t in an opiate overdose. In addition, I understa
I understand that I will not take any other medic primary physician because combining buprenorp hazardous. The combination of buprenorphine v death.	ohine with other medications or alcohol may

1



BEEHIVE PROGRAM CONSENT TO TREATMENT WITH BUPRENORPHINE

I understand that during the course of treatment, certain conditions may make it necessary to use additional or different procedures than those explained to me.

The goal of narcotic treatment is total recovery of the patient. I realize that for some patients, narcotic treatment may continue for relatively long periods of time, but that periodic consideration shall be given concerning my complete withdrawal from the use of all narcotic drugs. I understand that I may withdraw from the Beehive pilot program and discontinue use of buprenorphine at any time. I shall be transferred to detoxification under medical supervision or a traditional ORT program.

I will not allow any other individual to use my buprenorphine. It is dangerous for an individual not on buprenorphine to ingest the medication. Doing so may result in serious injury or even death for that individual.

For Female Patients of Child-Bearing Age:

Information on the effects of buprenorphine on pregnant women and their unborn children is inadequate to guarantee that it may not produce significant or serious side effects. Therefore, pregnant women or women trying to become pregnant will not be allowed into buprenorphine treatment on Beehive and will be referred to alternate treatment. Women may be required to take a pregnancy test.

To the best of my knowledge,

- □ I am pregnant at this time.
- $\hfill\Box$ I am not pregnant at this time.

While on buprenorphine, I will practice an acceptable form of birth control (i.e. abstinence, condoms, spermicide, birth control pills). If I do become pregnant, I will inform my Beehive physician or one of his/her assistants *immediately*. I will be transferred to a methadone treatment program for pregnant women or another treatment modality.

For All Patients:

Alternative methods of treatment, the potential benefits of treatment, possible risks involved, and the possibility of complications have been explained to me. I certify that no guarantee or assurance has been made as to the results that may be obtained from narcotic addiction treatment. I consent to buprenorphine treatment since I realize that I would otherwise continue to be dependent on heroin or other narcotic drugs.

Printed Name of Patient	Patient DOB
Signature of Patient	Date
Signature of Witness	Date

2

BEEHIVE PROGRAM TREATMENT FORMS Beehive Program Take-Home Dose Agreement



BEEHIVE PROGRAM BUPRENORPHINE TAKE-HOME DOSE AGREEMENT

:	
•	I,understand that any take-home doses
•	granted to me, by the Beehive Program are a privilege. This privilege can be revoked at
•	any time, due to illicit drug or alcohol use, unexcused clinic absences, or when my safety
· · ·	or the safety of others is an issue. The Beehive staff will make the determination of
· · ·	whether a take-home dose is appropriate on a case-by-case basis. I agree to take only
•	the dose of buprenorphine prescribed each day, and I will keep my buprenorphine in a
:	safe place, out of reach of children. I realize that buprenorphine can be fatal to children
· · ·	or other individuals for whom it is not prescribed. Transfer, distribution or sale of
•	buprenorphine is prohibited by state and federal law. I understand that
	buprenorphine can be dangerous when taken with certain other drugs or alcohol.
•	Failure to comply with any of the above requirements may result in the loss of take-
:	home privileges and possible termination from treatment.
:	
:	
:	Patient Signature
•	
· · ·	 Date
•	
:	Staff Signature
: :	
:	Date
:	
:	
:	
:	
:	



BEEHIVE PROGRAM <u>Documentation of Clinical Eligibility</u>

atient's initials	. <u></u>		
Primary Care Provid	er:		Ever on Buprenorphine? (Y/N)
n-Person (1) or Pho	one (2): C	Contact info/phone:_	Repeat screener? (Y / N)
Referred by:			_ Homeless? (Y / N) MediCal? (Y / N)
A. Demographics			
Age:			
. Gender:	[] female	[] male	[] transgender
B. Hispanic/Latino:	[] no	[] yes	[] don't know
Race/Ethnicity: [] White [] Asian			[] African American/Black [] Native American/Alaskan Native
[] Native Hawa [] Other (pleas b. Beehive Program c. Is this patient H i	e specify):		
[] Native Hawa [] Other (pleas 3. Beehive Program 5. Is this patient H I [] no [] yes, receive [] yes, receive	e specify): Eligibility Ques IV positive? s HIV primary c s or willing to re	stions are outside of Ward o eceive HIV primary co	
[] Native Hawa [] Other (pleas B. Beehive Program Is this patient HI [] no [] yes, receive [] yes, receive Notes:	e specify): Eligibility Ques IV positive? s HIV primary c s or willing to re	are outside of Ward of eceive HIV primary co	re at Ward 86
[] Native Hawa [] Other (pleas 3. Beehive Program 5. Is this patient HI [] no [] yes, receive [] yes, receive Notes: 5. Does this patien [] no current to [] prescribed to [] other than p	e specify): Eligibility Ques IV positive? s HIV primary c s or willing to re t use opioids? use use only (may operscribed use,	are outside of Ward of eceive HIV primary co	re at Ward 86
[] Native Hawa [] Other (pleas 3. Beehive Program 5. Is this patient HI [] no [] yes, receive [] yes, receive Notes: 5. Does this patien [] no current to [] prescribed to [] other than p	e specify): Eligibility Ques IV positive? s HIV primary c s or willing to re t use opioids? use use only (may a	are outside of Ward of eceive HIV primary co	PLY] IV criteria for dependence)
[] Native Hawa [] Other (pleas 3. Beehive Program 5. Is this patient HI [] no [] yes, receive [] yes, receive Notes: 5. Does this patien [] no current to [] prescribed to [] other than p	Eligibility Ques IV positive? Is HIV primary constructions or willing to red t use opioids? Use use only (may observe only (may observe) Use or constructions of the construction of t	are outside of Ward of eceive HIV primary co	PLY] IV criteria for dependence) IV criteria for dependence
[] Native Hawa [] Other (pleas 3. Beehive Program 5. Is this patient HI [] no [] yes, receive [] yes, receive Notes: 5. Does this patien [] no current to [] prescribed to [] other than p	Eligibility Ques IV positive? Is HIV primary control It use opioids? Use use only (may obtained use, IV criteria for control	are outside of Ward of eceive HIV primary configurations [CHECK ALL THAT AFT or may not meet DSM does not meet DSM dependence	PLY] IV criteria for dependence) IV criteria for dependence

BEEHIVE PROGRAM TREATMENT FORMS Beehive Program Documentation of Clinical Eligibility

page 2

Q	Has this patient used benzodiazepines in last 6 months? [CHECK ALL THAT APPLY]
	[] no use
	[] prescribed use only (may or may not meet DSM IV criteria for dependence or abuse)
	[] other than prescribed use, does not meet DSM IV criteria for dependence or abuse
	[] meets DSM IV criteria for dependence or abuse
	Notes:
	Has this patient used alcohol in the last 6 months? [] no use
	[] use, does not meet DSM IV criteria for dependence
	[] meets DSM IV criteria dependence or abuse
	Notes:
10.	Is this patient participating & dosing in a methadone program?
	[] not in a methadone program
	[] low dose and/or tapering down to transfer (ideal: ≤ 35 mg.)
	[] in a methadone program, not suitable for transfer
	Notes:
•	
	Is this patient pregnant or trying to become pregnant?
	[] no
	[] yes [] not applicable (<i>i.e. biological male</i>)
	Notes:
12.	What is the patient's liver function? AST; ALT (date should be in last 3
	months:)
	[] normal transaminase levels
	[] transaminase elevated, <= 5 times normal
	[] transaminase > 5 times normal
	Notes:

BEEHIVE PROGRAM TREATMENT FORMS Beehive Program Documentation of Clinical Eligibility

page 3

	MRN
	tively suicidal or with suicidal ideation?
[] no	
[] yes	
Notes:	
Does this nation	: have any other psychiatric conditions affecting his or her ability to
	ment (e.g., dementia, delusional, actively psychotic)?
[] no	(- 0)
[] yes	
Notes:	
. Inappropriate ac	cording to clinical judgment of clinician (specify reason below)
	requires high-dose prescription opioids for pain syndrome (#19a.)
	ason, specify below:
•	
Notes	
	ant to go on any opiate substitution therapy
	ethadone tive experience with buprenorphine
Prefers me Prior nega Visit frequ	ethadone Itive experience with buprenorphine Iency with buprenorphine
Prefers me Prior nega Visit frequ Does not v	ethadone Itive experience with buprenorphine Iency with buprenorphine Wish to decrease opioid pain medications
Prefers me Prior nega Visit frequ Does not v	ethadone Itive experience with buprenorphine Iency with buprenorphine Wish to decrease opioid pain medications W
Prefers me Prior nega Visit frequ Does not v	ethadone Itive experience with buprenorphine Iency with buprenorphine Wish to decrease opioid pain medications
Prefers me Prior nega Visit frequ Does not v Don't know Other, spe	ethadone Itive experience with buprenorphine Itency with buprenorphine
Prefers me Prior nega Visit frequ Does not v Don't know Other, spe	ethadone Itive experience with buprenorphine Iency with buprenorphine Wish to decrease opioid pain medications W
Prefers me Prior nega Visit frequ Does not v Don't know Other, spe	ethadone Itive experience with buprenorphine Itency with buprenorphine
Prefers me Prior nega Visit frequ Does not v Don't know	ethadone Itive experience with buprenorphine Itency with buprenorphine
Prefers me Prior nega Visit frequ Does not v Don't know	ethadone Itive experience with buprenorphine Itency with buprenorphine
Prefers me Prior nega Visit frequ Does not v Don't know	ethadone Itive experience with buprenorphine Itency with buprenorphine
Prefers me Prior nega Visit frequ Does not v Don't know	ethadone Itive experience with buprenorphine Itency with buprenorphine
Prefers me Prior nega Visit frequ Does not v Don't know	ethadone Itive experience with buprenorphine Itency with buprenorphine
Prefers me Prior nega Visit frequ Does not v Don't know	ethadone Itive experience with buprenorphine Itency with buprenorphine
Prefers me Prior nega Visit frequ Does not v Don't know	ethadone Itive experience with buprenorphine Itency with buprenorphine
Prefers me Prior nega Visit frequ Does not v Don't know	ethadone Itive experience with buprenorphine Itency with buprenorphine
Prefers me Prior nega Visit frequ Does not v Don't know	ethadone Itive experience with buprenorphine Itency with buprenorphine

BEEHIVE PROGRAM TREATMENT FORMS Beehive Program Worksheet for *DSM–IV* Criteria for Diagnosis of Opioid Dependence

Patient's Name:							
В	EEHIVE P	ROGRAN	и				
Worksheet for DSM-IV criteria for diagnosis of opioid dependence							
Diagnostic Criteria* (Dependence requires meeting 3 or more criteria)	Meets criteria Yes No		Notes/supporting information				
(1) Tolerance, as defined by either of the following:							
(a) a need for markedly increased amounts of the substance to achieve intoxication of desired effect							
(b) markedly diminished effect with continued use of the same amount of the substance							
(2) Withdrawal, as manifested by either of the following:							
(a) the characteristic withdrawal syndrome							
(b) the same (or a closely related) substance is taken to relieve or avoid withdrawal symptoms							
(3) The substance is often taken in larger amounts or over a longer period of time than intended							
(4) There is a persistent desire or unsuccessful efforts to cut down or control substance use							
(5) A great deal of time is spent in activities necessary to obtain the substance, use the substance or recover from its effects							
(6) Important social, occupational, or recreational activities are given up or reduced because of substance use							
(7) The substance use is continued despite knowledge of having a persistent or recurrent physical or psychological problem that is likely to have been caused or exacerbated by the substance							
Signature			Date				
Criteria from American Psychiatric Association. (2 text rev., p. 197). Washington, DC: Author.	000). Diagn	ostic and S	statistical Manual of Mental Disorders (4th ed.,				

PRESCRIBERS' DIRECT DISPENSING LOG INFORMATION

Newly enacted legislation within the prescription law requires all practitioners and prescribers, including veterinarians, to report directly dispensed controlled substances to the Department of Justice, CURES program.

Effective January 1, 2005, pursuant to Health and Safety Code Section 11190 and Business and Professions Code Section 4170, all licensees who dispense Schedule II and III controlled substances must provide the dispensing information to the Department of Justice on a monthly basis by using the Prescribers' Direct Dispensing Log. For veterinarians, please use the direct dispense form for Veterinarians' Use Only. The Department of Justice will also be able to receive in electronic format the direct dispense data by following the Direct Dispense Data Specifications.

The Prescribers' Direct Dispensing Log, Direct Dispensing Logs for Veterinarians Use Only, and the Direct Dispense Data Specifications were designed to aid physicians/prescribers and veterinarians in fulfilling Business and Professions Code Section 4170 as well as the Health and Safety Code reporting requirements. Information must be mailed via CD-Rom or by hard copy to: CURES Program, P.O. Box 160447, Sacramento, California 95816.

The prescibers' log contains the following information:

- The prescriber's name, address, telephone number, category of licensure and license number, and federal controlled substance registration (DEA#).
- Date of dispensing.
- Numeric quantity of controlled substance dispensed.
- Drug name.
- NDC (National Drug Code) number of the controlled substance dispensed.
- Strength of the prescription.
- Patient's full name.
- Date of birth.
- Rx number.
- Gender Code.(Code: male =1/female=2).
- ICD-9 Code (diagnosis code), if available.
- Patient's address.
- Date submitted.

The veterinarians' log contains the following information:

- The prescriber's name, address, telephone number, license number, and federal controlled substance registration (DEA#).
- Date of dispensing.
- Numeric quantity of controlled substance dispensed.
- Drug name.
- NDC (National Drug Code) number of the controlled substance dispensed.
- Strength of the prescription.
- Client's full name.
- Client's gender (Code: male =1/female =2).
- Client's date of birth (if available).
- Client's address.
- Animal patient's name
- Date submitted.

When submitting your data electronically, please note there are two separate Direct Dispense Data Specifications formats, one is exclusively formatted for Veterinarians use only and the other one is for general (physicians/prescriber's) who direct dispense. Also, when submitting your data the direct dispense data must be in a text file format and the record layout must be in the order as specified in the Direct Dispense Data Specifications.

Practitioners/prescribers are not responsible for reporting to CURES if they only administer Schedule II and III controlled substances.

For further information please contact the CURES Program at (916) 319-9062.

STATE OF CALIFORNIA



PRESCRIBER'S DIRECT DISPENSING LOG BNE 1179 (1/05)									
Prescriber/Dispenser Name:					Medical Lic. Number:				
Address: DEA #:									
Patient First Name MI Pat			Pati	ent Last Name	Patient Date of Birth Rx Nu		Rx Num	ber	
Gender Code Male=1/Female=2 ICD Code Patient Address				Address	City		State	Zip	
		ı						•	
Date of Dispensing Numeric Quantity Drug Name			Drug Name	NDC Number Strength of Rx					
Patient First Name MI Patient Last Name				ent Last Name	Patient Date of Birth Rx Number			ber	
Gender Code Male=1/Female=2 ICD Code Patient		tient A	ent Address		•	City	State	Zip	
I.		<u> </u>							
Date of Dispensing Numeric Quantity Drug Name			Drug Name	NDC Number Strength of I				Strength of Rx	
Patient First Name MI Pat			ent Last Name		Pati	ent Date of Birth	Rx Num	ber	
Gender Code Male=1/Female=2 ICD Code Patient		tient /	Address			City	State	Zip	
Reporting Month/	Year: _	•	_/					•	
Date submitted: _		/	/_						